

Day 3: 0930 – 1530

ANESTHESIA CASE STUDIES & SIMULATIONS

TIME	TOPIC
\$- '\$!'%	

%&\$\$!'%' \$	@ B 7 < '6F95?
%&' \$!'%' \$	DUh\`cZcl m[Ybžhfci VYg\cch]b[ `ZU `hmYei ]da Ybž`YU_ hYgq`UbX`YU_`Zck `fUH`Vt`a dYbgU]cb
%(` \$!'%' \$	8 YVf]YZ]b[ `gYgg]cb`UbX`]bZc`cb`bYI hXUm

Day 2: 0930 – 1530

INDUCTION, ANESTHETIC MONITORING & EQUIPMENT, AND TROUBLESHOOTING

TIME	TOPIC
\$- '\$!'\$\$\$\$	7 \YW_`]bžei Ygh]cbgž`Ž# `fYj ]Yk
%\$\$\$\$!'\$\$\$\$	8 ]gW]gg]cb`UbX`UM]j ]]hm`GhYdg`hc`U`gUZ`]bXi`V]cb`
%&\$\$!'%'\$\$\$\$	5 bYgh\Yh]Wa`cb]hc]f]b[ `UbX`hfci VYg\cch]b[ `UM]j ]]hm`UbX`fci`bX`hUV`Y`X]gW]gg]cbg
%&\$\$!'%' \$	@ B 7 <
%&' \$!'%' \$	5 bYgh\Yh]Wa`cb]hc]f]b[ `UbX`hfci VYg\cch]b[ `[fci`d`W]gY`gri`X]Yg
% '\$!'%' \$	7 Udbc[ `fUb\mUbX`97; `g`W]gY`gri`X]Yg`UbX`fci`bX`hUV`Y`X]gW]gg]cb
%(` \$!'%' \$	8 YVf]YZ]b[ `gYgg]cb`UbX`]bZc`cb`bYI hXUm